

March 12, 2019

DIFFERENTIAL GEOMETRY 88-826 HOMEWORK SET 3

1. Consider the 1-dimensional manifold  $S^1 = \{e^{i\theta}\} \subseteq \mathbb{C}$ . Consider the Riemannian metric of  $S^1$  expressed by a  $q \times 1$  matrix with respect to the coordinate  $\theta$ . Since  $\theta$  is the arclength parameter, the vector field  $\frac{\partial}{\partial \theta}$  along  $S^1$  has unit length.
  - (a) Conclude that the matrix of the Riemannian metric is the  $1 \times 1$  matrix with coefficient 1;
  - (b) find the coefficient of the Riemannian metric with respect to a new coordinate defined by the stereographic projection of the circle to  $\mathbb{R}$ .
2. Let  $C > 0$  be a positive real number. Calculate the Gaussian curvature of the Riemannian metric  $\frac{C^2}{y^2}(dx^2 + dy^2)$  using formula 3.3.3 on page 31 of the choveret of the course.
3. Consider the torus of revolution  $(x - a)^2 + y^2 = b^2$  where  $0 < b < a$  and let  $\tau$  be its conformal parameter as in Section 3.12 of the choveret of the course.
  - (a) Let  $a = 1$  and find the limit of  $\tau$  as  $b \rightarrow 0$ ;
  - (b) let  $b = 1$  and find the limit of  $\tau$  as  $a \rightarrow \infty$ ;
  - (c) find a torus of revolution with conformal parameter  $\tau = i$ .
4. Consider the lattice  $L \subseteq \mathbb{C}$  spanned by the roots of the polynomial  $z^3 - 1$ . Find the conformal parameter  $\tau(\mathbb{C}/L)$ .