

## ERRATA FOR GRADUATE ALGEBRA: COMMUTATIVE VIEW

LOUIS ROWEN

Thanks to S. Dahari, M. Schein, and Liu Wanmin.

### 1. EXTRA RESULT NEEDED ON P. 243

**Lemma:** If an affine integral domain  $R$  is an integral extension of  $C$ , then every saturated chain  $P \supset \cdots \supset P'$  of prime ideals of  $R$  intersects down to a saturated chain of prime ideals  $P \cap C \supset \cdots \supset P' \cap C$  of  $C$ .

Proof: Passing to  $R/P'$  and  $C/(P' \cap C)$ , one may assume that  $P' = 0$ , and it suffices to prove that if  $P$  has height 1, then so does  $P \cap C$ . But  $C$  is integral over some polynomial ring  $C'$ , so  $R$  is integral over  $C'$ . By Going Down (Theorem 6.47),  $P \cap C'$  has height 1. But this implies  $P \cap C$  has height 1.  $\square$

Also, Exercise 6.8 on page 265 is harder than desirable.

### 2. MISPRINTS

#### Chapter 2

- Page 66 line -9:  $A$  has the form  $\begin{pmatrix} r & 0 \\ 0 & A' \end{pmatrix}$ , where  $\rho(r) = d$  and
- Page 72 line -3:  $\bar{\lambda} = \lambda + F[\lambda]d_i$

#### Chapter 6

- Page 182 line -8: If  $A_1$ ,
- Page 188 line -84: Lemma 6.29. But if

#### Chapter 8

- Page 211 line 8: By Example 3.3,
- Page 235 line -9:  $S = R \setminus (P_1 \cup \cdots \cup P_t)$ .

#### Exercises

- Page 252, #44 : The equation  $\lambda^3 + b^2\lambda - 2b^2c = 0$
- Page 268, #22 : Induction on Exercise 21.
- Page 280, line 10: is called **faithful** if
- Page 281, line 11:  $\bigcap_{n \in \mathbb{N}} A^n = 0$ .

#### Chapter 10

- Page 302, line 2,3:  $\phi^* f(w_1, \dots, w_n) = f(\phi(w_1), \dots, \phi(w_n))$ ;

#### Chapter 11

- Page 314, line 23: Definition 10.43
- Page 317, line 6: Exercise 10.23

#### List of major results

- Page 413, line -7:  $(C + I)/I$
- Page 418, line -11:  $K[\sqrt{-1}]$

DEPARTMENT OF MATHEMATICS, BAR-ILAN UNIVERSITY, RAMAT-GAN 52900, ISRAEL  
E-mail address: rowen@macs.biu.ac.il